

## SAFETY DATA SHEET

This SDS conforms to the GHS, ISO 11014-1, and ANSI Z400.1

This SDS complies with 29 CFR 1910.1200

Prepared according to EU Directive 1907/2006/EC

### SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** PuroLube Extended Life Compressor Fluid

**Product Code:** PuroLube PF-0502, PF-0502-DGB, PF-5502

**Product Type:** Polyether Polyol / Polyol ester blend Lubricant

**Recommended Use:** Rotary screw compressor lubricant

**Supplier:**

Fluid Metrics, LLC

4514 Chamblee Dunwoody Rd. #252

Dunwoody, GA 30338-6202

Office: 770-393-8636 Cell: 770-241-7084

**Emergency Spill Information:**

770-241-7084 (US & Canada)

979-665-9813 (Alternate number)

### SECTION 2 – HAZARDS IDENTIFICATION

**GHS Product Classification:** None

**Emergency Overview:** This product has been evaluated and does not require any hazard warning on the label under OSHA criteria. The product does not require a hazard warning label in accordance with GHS criteria according to REGULATION (EC) No 1272/2008.

**Risk Phrases:** None

**Safety Phrases:** S24, S26, S27/28(soap and water), S29/35, S36/37/39, S57, S62, S3

**HMIS Code:** (Health: 1) (Flammability: 1) (Physical Hazard: 0) (Protection: B)

**NFPA Code:** (Health: 1) (Flammability: 1) (Reactivity: 0)

**WHMIS Code:** None

### SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CAS#</u>	<u>Range % by wt.</u>
Polyether polyol	9003-13-8	60-85%
Pentaerythritol Tetraester	67762-53-2	20-40%
Proprietary Additives	Proprietary	<10%

---

---

## SECTION 4 – FIRST AID MEASURES

---

---

**Eye:** In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**Skin:** After contact with skin, take off immediately all contaminated clothing, wash immediately with plenty of soap and water.

**Inhalation:** In case of accident by inhalation: remove casualty to fresh air and keep at rest.

**Ingestion:** If swallowed, do not induce vomiting: seek medical advice immediately.

**Symptoms/effects:** Mild irritation may occur with overexposure.

**Special treatment:** Treat symptomatically.

---

---

## SECTION 5 – FIRE FIGHTING MEASURES

---

---

**Suitable Extinguishing Media:** In case of fire use dry chemical, carbon dioxide, foam, steam, or water fog.

**Unsuitable Extinguishing Media:** Never use water.

**Specific Hazards:** Keep away from extreme heat and open flames.

**Hazardous Combustion Products:** Incomplete combustion results in oxides of carbon.

**Fire Fighting Equipment:** Fire fighters should wear an approved self-contained breathing apparatus.

---

---

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

---

---

**Personal precautions:** Wear suitable protective clothing and gloves.

**Environmental precautions:** Use appropriate containment to avoid environmental contamination. Do not empty into drains; dispose of this material and its container in a safe way.

**Methods and materials for cleanup:** To clean the floor and all objects contaminated by this material use an inert absorbent material.

---

---

## SECTION 7 – HANDLING AND STORAGE

---

---

**Handling:** No special requirements if handled with reasonable care. Keep containers closed when not in use. Wash thoroughly after handling. Empty container contains product residue which may exhibit hazards of product.

**Storage:** Keep in a cool place away from open flames. No special storage precautions required.

---



---

## SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

---



---

**Engineering Controls:** In case of insufficient ventilation wear suitable respiratory equipment.

**Protective Equipment:** Wear suitable protective clothing, gloves and eye/face protection.

---



---

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

---



---

Appearance	: Clear, amber colored liquid	
Odor	: Mild	
Odor Threshold	: Not Determined	
pH	: 7-8.5	Method: ASTM D1293
Melting Point / Freezing Point	: Pour Point < -40°C (-40 °F)	
Initial Boiling Point	: Not applicable, decomposes	
Flash Point	: 280°C (536 °F)	Method: ASTM D92
Evaporation Rate	: Not determined	
Flammability	: Not flammable	
Upper/Lower Explosive Limits	: Not determined	
Vapor Pressure	: Not determined	Method: ASTM D5482
Vapor Density	: Not determined	
Specific Gravity	: 0.98 g/cm <sup>3</sup> @ 25 °C	Method: ASTM D1475
Solubility in Water	: approximately 0.7% @ 60°C, floats on top of water.	
Partition Coefficient	: Not determined	Method: ASTM E1147
Autoignition Temperature	: >280°C (>536 °F)	Method: ASTM E659
Decomposition Temperature	: Not determined	Method: ASTM E2550
Viscosity	: 39 cSt @ 40°C	Method: ASTM D445

---



---

## SECTION 10 – STABILITY AND REACTIVITY

---



---

**Chemical Stability:** Material is normally stable at moderately elevated temperatures and pressures.

**Hazardous Reactions:** None.

**Conditions to Avoid:** Keep away from extreme heat.

**Materials to Avoid:** Keep away from chlorine, fluorine, and other strong oxidizers.

**Hazardous Decomposition Products:** None identified.

---



---

**SECTION 11 – TOXICOLOGICAL INFORMATION**


---



---

**Eye Contact:** Mildly irritating to eyes.

**Skin Contact:** Prolonged or repeated contact may cause skin irritation. High pressure injection into or under the skin should be considered a medical emergency, and treated immediately.

**Inhalation:** Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

**Ingestion:** No significant health hazards identified.

**Primary Routes of Entry:** None identified.

**- ACUTE EXPOSURE --**

Toxicological testing has not been conducted on this product.

<b>Dermal Toxicity</b>	The LD 50 in rabbits is > 2000 mg/Kg. Based on data from components or similar materials.
<b>Inhalation Toxicity</b>	No data available to indicate product may be a toxic inhalation hazard.
<b>Oral Toxicity</b>	The LD50 in rats is between 2000 mg/kg and 5000 mg/kg. Based on data from components or similar materials. Swallowing material may cause irritation of the gastrointestinal lining, nausea, vomiting, diarrhea, and abdominal pain.
<b>Dermal Sensitization</b>	No data available to indicate product may be a skin sensitizer.
<b>Inhalation Sensitization</b>	No data available to indicate product may be a respiratory sensitizer.

**-- CHRONIC EXPOSURE --**

Toxicological testing has not been conducted on this product.

<b>Chronic Toxicity</b>	No data available to indicate product or components present at greater than 1% are chronic health hazards.
<b>Carcinogenicity</b>	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
<b>Mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
<b>Reproductive Toxicity</b>	No data available to indicate either product or components present at greater than 0.1% that may cause reproductive toxicity.
<b>Teratogenicity</b>	No data available to indicate product or any components contained at greater than 0.1% may cause birth defects.

---

---

**SECTION 12 – ECOLOGICAL INFORMATION**

---

---

**-- ENVIRONMENTAL TOXICITY --**

**Freshwater Fish Toxicity:** The acute LC50 is 100 - 1000 mg/L based on similar products.

**-- ENVIRONMENTAL FATE --**

**Persistence and Degradability:** This product will biodegrade very rapidly based on OECD 301-type test data for similar products.

**Bioaccumulative Potential:** Not determined.

**Mobility in Soil:** Not determined.

**Other Adverse Effects:** None identified.

---

---

**SECTION 13 – DISPOSAL INFORMATION**

---

---

Do not empty into drains; dispose of this material and its container as non-hazardous waste.

US EPA Disposal as “Specification waste oil”

This material, if discarded, is not a hazardous waste under RCRA Regulation 40 CFR 261. This material, if discarded, should be considered a European non-hazardous waste in accordance with Directive 91/689/EC.

European Waste Catalog Code (EWC-code): 13 02 06

---

---

**SECTION 14 – TRANSPORTATION INFORMATION**

---

---

<b>UN Number</b>	Not regulated.
<b>UN Proper Shipping Name:</b>	Not regulated.
<b>Transport Hazard Class</b>	Not regulated.
<b>Package Group</b>	Not regulated.
<b>Marine Pollutant</b>	No
<b>Special Precautions</b>	None

---



---

**SECTION 15 – REGULATORY INFORMATION**


---



---

**-- Global International Chemical Inventories --**

<b>USA</b>	All components of this material are on the US TSCA Inventory or are exempt.
<b>EEC</b>	All components are in compliance with the EC 7 <sup>th</sup> Amendment Directive 92/32/EEC.
<b>Canada</b>	All components of this material are DSL listed or are exempt.
<b>Japan</b>	All components are in compliance with the Chemical Substances Control Law of Japan.
<b>Australia</b>	All components are in compliance with chemical notification requirements in Australia.
<b>Korea</b>	All components are in compliance in Korea.
<b>Philippines</b>	All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).
<b>China</b>	All components of this product are listed on the Inventory of Existing Chemical Substances in China.

**-- Other U.S. Federal Regulations --**

**EPA 550-B-01-003** This product does not contain greater than 1.0% of any chemical substances (0.1% for carcinogens) listed on the Consolidated List of Chemicals Subject to the Emergency Planning and Community Right-To-Know Act (EPCRA) and Clean Air Act Section 112(r): EPCRA Section 302 Extremely Hazardous Substances, CERCLA Hazardous Substances, EPCRA Section 313 Toxic Chemicals, CAA 112(r) Regulated Chemicals For Accidental Release Prevention.

**SARA 311 Classifications**

Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No
Immediate (Acute) Hazard	No
Delayed (Chronic) Hazard	No

**-- State Regulations --**

California Proposition 65: Not known to contain any substances listed under Proposition 65, known to the State of California to cause cancer, birth defects or other reproductive harm, in concentrations which would require a warning under the statute.

**-- Other / International --**

**Harmonized Tariff Schedule Number**      3403.99.0000

---

---

**SECTION 16 – OTHER INFORMATION**

---

---

**Label text:**

Handling: No special requirements if handled with reasonable care.

First Aid:

Eye: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Skin: After contact with skin, take off immediately all contaminated clothing, wash immediately with plenty of soap and water.

Inhalation: In case of accident by inhalation: remove casualty to fresh air and keep at rest.

Ingestion: If swallowed, do not induce vomiting: seek medical advice immediately.

Fire: In case of fire use dry chemical, carbon dioxide, foam, steam, or water fog.

Spill or Leak: To clean the floor and all objects contaminated by this material use an inert absorbent material.

**Prepared By:** Daryl Beatty  
**Date Revised:** 16 January 2018  
**Supersedes:** 06 March 2014  
**Date Prepared:** 07 September 2009

The information provided herein is believed to be accurate to the best of the company's knowledge as of the date of its issue. We do not warrant or guarantee the information provided and will not be held liable for any loss or damage from its use.